



TEBEFOL ® 80 WP

FACT SHEET

Product Type: Fungicide

Active ingredient: Fosetyl-Aluminium

Chemical composition: Aluminium tris (O-ethyl phosphonate)

Chemical Group: Phosphonic

Concentration and Formulation: 80% (Wettable Powder)

Mode of action: Systemic

MAG Registration Number: 4184

Available sizes: 500 grams, 1 Kg and 25 Kgs.

Main characteristics:

TEBEFOL 80 WP, is a phosphonic fungicide with systemic action, being absorbed by both foliage and roots, moving within the plant via phloem (movement within the plant including the root) and xylem (movement from the root to the plant). In the fungus, it interferes with enzyme synthesis, inhibits spore germination and blocks the development of myceliums.

Crops to be treated:

Pineapple (*Ananas comosus*), Onion (*Allium cepa*), Citrus (*Citrus sp.*), Cruciferae (*Brassica oleracea*) Strawberry (*Fragaria sp*), Ornamentals.

Re-entry period to the treated area:

Wait for the spray to dry.

Interval between last application and harvest:

Pineapple: 90 days. Other crops 15 days.

Compatibility:

Incompatible with strongly alkaline substances such as Bordeaux Bouillon. It is compatible with most pesticides.

Dosage to be used per crop: (see page 2.)



TEBEFOL ® 80 WP

FACT SHEET

CROP	DISEASE	DOSE KG/ HECTARE	OBSERVATIONS
Pineapple (<i>Ananas comosus</i>)	Rotting of the heart (Parasitic Phytophthora)	4,0 - 5,0	By immersion bathe the leaves before the transplant for 60-day protection. Apply at 60-day intervals.
Citric fruit trees (<i>Citrus sp</i>)	Citrus gumming (Phytophthora sp)	4,0 - 5,0	Apply 2 times during the growing season, every 90 days.
Onions (<i>Allium cepa</i>)	Powdery Mildew (Peronospora destroyer)	2,5	Apply when the first symptom of the disease, often within 15 days
Cruciferae (<i>Brassica oleracea</i>)	Downy mildew (Peronospora parasitic)	2,5	Apply 4-5 times in the cycle.
Strawberry (<i>Fragaria sp</i>)	Rotting of the heart (Phytophthora parasitica)	2,5	Bathe the cuttings for 15-30 minutes. Apply 14-24 days after sowing
Ornamentals	Plant decay (Phytophthora sp) Downy mildew (Peronospora sparsa)	3,0 - 4,0	By immersion or irrigation.